


## PowerTrac 0631 - 0200 SRT TA, with SEL Ball Nuts, Adjustable

Call 800-321-7800 or visit us online at www.nookindustries.com to configure and order your PowerTrac 0631 - 0200 SRT TA, with SEL Ball Nuts,







| 0631-0200 SRT TA                     |
|--------------------------------------|
| SRT                                  |
| 4150                                 |
| RH/LH                                |
|                                      |
| 0.631                                |
| 0.200                                |
| 0.500                                |
| 2.50                                 |
| 72                                   |
| 34.75                                |
| 12                                   |
| 8                                    |
|                                      |
| 0.82                                 |
|                                      |
| 0.004                                |
|                                      |
|                                      |
| SEL10410                             |
| LH                                   |
|                                      |
| 0.631                                |
| 0.200                                |
| 0.125                                |
| 0.500                                |
| 0.000                                |
| 0.035                                |
| 0.000                                |
| FLG7570                              |
| 1 2010/0                             |
| WKB10407                             |
| VVICE TO TO I                        |
| 0.65                                 |
| 0.00                                 |
| 0.004                                |
| 233                                  |
| 200                                  |
| 815                                  |
| 6384                                 |
| 0304                                 |
| SEL10408                             |
| RH                                   |
| NΠ                                   |
| 0.634                                |
| 0.631                                |
| 0.200                                |
| 0.125                                |
|                                      |
| 0.500                                |
|                                      |
| 0.035                                |
| 0.035                                |
|                                      |
| 0.035<br>FLG7570                     |
| 0.035                                |
| 0.035<br>FLG7570<br>WKB10407         |
| 0.035<br>FLG7570                     |
| 0.035<br>FLG7570<br>WKB10407<br>0.65 |
| 0.035<br>FLG7570<br>WKB10407         |
|                                      |

 Spring Rate x 10<sup>6</sup> [lb./in.]
 815

 Dynamic Load [lb]
 6384