



PowerTrac PMT 50 x 10 RH with MPN Ball Nut

Call 800-321-7800 or visit us online at www.nookindustries.com to configure and order your PowerTrac PMT 50 x 10 RH with MPN Ball Nut today!









Screw/Product Info Screw Code 50x10 PMT RA PMT Screw Material 4150 Thread Direction RH Screw Material 4150 Thread Direction RH Screw Material 4150 Thread Direction RH Screw Part Number S0X10 PMT S17 S0X10 PMT S17 S	Metric Ball Screw	
Precision	(Screw)Product Info	
Screw Material	Screw Code	50x10 PMT RA
Thread Direction RH	Precision	PMT
Screw Part Number	Screw Material	4150
Screw Part Number	Thread Direction	RH
Ball Circle Diameter [mm]	(Screw)Details	
Lead [mm]	Screw Part Number	50X10 PMT
Root Diameter [mm]	Ball Circle Diameter [mm]	51.7
End Code for Types 1,2,3,5 [* Journals may show tracings of the thread] 45 End Code for Type 4 [* Journals may show tracings of the thread] 28 (Screw)Weight (g/M] 13880 (Screw)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Metric Ball Nut, for PMT, Preloaded, Precision Accuracy, MPN (Nut)Product Info Ball Nut Number MPN10334 Thread Direction RH (Nut)Details Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Perces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers Flange Part Numbers Wiper kit Part Numbers Wiper kit Part Number ELASTOMER (Nut)Weight [g] 2328 (Nut)Weight [g] 2328 (Nut)Performance Specifications Lead Accuracy +/- [μ:m/300mm] 25 Spring Rate x 10~sup>6/sup> 6(lkln)] 41.6	Lead [mm]	10
End Code for Type 4 [* Journals may show tracings of the thread] (Screw)Weight [g/M] 13880 (Screw)Weight [g/M] 25 Metric Ball Nut, for PMT, Preloaded, Precision Accuracy, MPN (Nut)Product Info Ball Nut Number MPN10334 Thread Direction RH (Nut)Details Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Finage Part Numbers Flange Part Numbers Wiper Kit Part Numbers Wiper Kit Part Numbers Wiper Kit Part Numbers (Nut)Weight [g] 2328 (Nut)Weight [g] 2328 (Nut)Weight [g] 2328 (Nut)Weight [g] 25 Spring Rate x 10 ^{-6 Spring Rate x 10 Spring Rate x 10 Spring Rate x 10 108 108 128 128 128 128 128 128 128 128 128 12}	Root Diameter [mm]	45.20
End Code for Type 4 [* Journals may show tracings of the thread] (Screw)Weight Screw Weight [g/M] Screw Weight [g/M] 13880 (Screw)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Metric Ball Nut, for PMT, Preloaded, Precision Accuracy, MPN (Nut)Product Info Ball Nut Number MPN10334 Thread Direction RH (Nut)Details Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Finge Part Numbers Flange Part Numbers Wiper Kit Part Number (Nut)Wiper Part Numbers Wiper Kit Part Number (Nut)Weight Nut Weight [g] (Nut)Weight [g] (Nut)Weight [g] (Nut)Weight [g] (Screw)Weight [g] (Screw)Weight [g] (Nut)Prormance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ^{6 Spring Rate x 10 10.97 Dynamic Load Ca [kN]}	End Code for Types 1,2,3,5 [* Journals may show tracings of the thread]	45
Screw Weight [g/M] 13880		28
Cscrew)Performance Specifications Lead Accuracy +/- [μm/300mm] 25	(Screw)Weight	
Lead Accuracy +/- [8#956;m/300mm] 25 Metric Ball Nut, for PMT, Preloaded, Precision Accuracy, MPN (Nut)Product Info	Screw Weight [g/M]	13880
Metric Ball Nut, for PMT, Preloaded, Precision Accuracy, MPN (Nut)Product Info MPN10334 Ball Nut Number RH Thread Direction RH (Nut)Details 51.7 Ball Circle Diameter [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques 7 Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers INTEGRAL Flange Part Number INTEGRAL (Nut)Wiper Part Number ELASTOMER (Nut)Weight 2328 (Nut)Performance Specifications 25 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 0.97 Dynamic Load Ca [kN] 41.6	(Screw)Performance Specifications	
(Nut)Product Info Ball Nut Number MPN10334 Thread Direction RH (Nut)Details Sall Circle Diameter [mm] Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers INTEGRAL Flange Part Number INTEGRAL (Nut)Wiper Part Numbers ELASTOMER (Nut)Weight 2328 (Nut)Performance Specifications 2328 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 597 Dynamic Load Ca [kN] 41.6	Lead Accuracy +/- [μm/300mm]	25
(Nut) Product Info	Metric Ball Nut, for PMT, Preloaded, Precision Accuracy, MPN	
Thread Direction (Nut)Details Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers Flange Part Numbers (Nut)Wiper Part Numbers Wiper Kit Part Number (Nut)Weight Nut Weight [g] 2328 (Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ^{[lb./in.] 0.97 Dynamic Load Ca [kN] 41.6}		
(Nut)Details Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers Flange Part Number (Nut)Wiper Part Numbers Wiper Kit Part Numbers Wiper Kit Part Number ELASTOMER (Nut)Weight 2328 (Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10-sup-6 Spring Rate x 10-sup-6 0.97 Dynamic Load Ca [kN] 41.6	Ball Nut Number	MPN10334
Ball Circle Diameter [mm] 51.7 Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers Flange Part Number INTEGRAL (Nut)Wiper Part Number ELASTOMER (Nut)Weight Nut Weight [g] 2328 (Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	Thread Direction	RH
Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers INTEGRAL (Nut)Wiper Part Numbers Wiper Kit Part Numbers Wiper Kit Part Number ELASTOMER (Nut)Weight Nut Weight [g] 2328 (Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ^{6 0.97 Dynamic Load Ca [kN] 41.6}	(Nut)Details	
Lead [mm] 10 Nominal Ball Diameter [mm] 6.35 Root Diameter [mm] 45.20 (Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers INTEGRAL (Nut)Wiper Part Numbers Wiper Kit Part Numbers Wiper Kit Part Number ELASTOMER (Nut)Weight Nut Weight [g] 2328 (Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ^{6 0.97 Dynamic Load Ca [kN] 41.6}	Ball Circle Diameter [mm]	51.7
Root Diameter [mm]		10
(Nut)Forces and Torques Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers INTEGRAL Flange Part Number With Part Numbers ELASTOMER (Nut)Weight [g] 2328 (Nut)Performance Specifications 25 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	Nominal Ball Diameter [mm]	6.35
Torque to Raise 1 kN [Nm] 1.78 (Nut)Flange Part Numbers Flange Part Number INTEGRAL (Nut)Wiper Part Numbers Wiper Kit Part Number ELASTOMER (Nut)Weight Nut Weight [g] 2328 (Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	Root Diameter [mm]	45.20
(Nut)Flange Part Numbers Flange Part Number INTEGRAL (Nut)Wiper Part Numbers ELASTOMER Wiper Kit Part Number ELASTOMER (Nut)Weight 2328 Nut Weight [g] 2328 (Nut)Performance Specifications 25 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	(Nut)Forces and Torques	
Flange Part Number INTEGRAL (Nut)Wiper Part Numbers ELASTOMER Wiper Kit Part Number ELASTOMER (Nut)Weight 2328 (Nut)Performance Specifications 25 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	Torque to Raise 1 kN [Nm]	1.78
(Nut)Wiper Part Numbers Wiper Kit Part Number ELASTOMER (Nut)Weight 2328 (Nut)Performance Specifications 25 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	(Nut)Flange Part Numbers	
Wiper Kit Part Number ELASTOMER (Nut)Weight 2328 (Nut)Performance Specifications 25 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	Flange Part Number	INTEGRAL
(Nut)Weight 2328 (Nut)Performance Specifications 5 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	(Nut)Wiper Part Numbers	
Nut Weight [g] 2328 (Nut)Performance Specifications 5 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	Wiper Kit Part Number	ELASTOMER
Nut Weight [g] 2328 (Nut)Performance Specifications 5 Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6	(Nut)Weight	
(Nut)Performance Specifications Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6		2328
Lead Accuracy +/- [μm/300mm] 25 Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6		
Spring Rate x 10 ⁶ [lb./in.] 0.97 Dynamic Load Ca [kN] 41.6		25
Dynamic Load Ca [kN] 41.6		
		94.6